



FACULTY OF NURSING  
UNIVERSITAS AIRLANGGA

*Excellence With Morality*

# INTERNATIONAL NURSING CONFERENCE

**The Proceeding of  
The 7<sup>th</sup> International Nursing Conference  
“Global Nursing Challenges in The Free Trade Era”  
Surabaya, April 8<sup>th</sup> – 9<sup>th</sup> 2016**



**Flinders**  
UNIVERSITY



CO-HOST:





Hak Cipta © 2016,  
Fakultas Keperawatan Universitas Airlangga Surabaya  
Kampus C Mulyorejo Surabaya 60115  
Telp. : (031)5913754, 5913257  
Faks. : (031)5913752  
Website : <http://ners.unair.ac.id>  
Email : [dekan@fkip.unair.ac.id](mailto:dekan@fkip.unair.ac.id)

Hak cipta dilindungi undang-undang. Dilarang memperbanyak sebagian atau seluruh isi buku ini dalam bentuk apapun, baik secara elektronik maupun mekanis, termasuk tidak terbatas pada memfotokopi, merekam, atau dengan menggunakan sistem penyimpanan lainnya, tanpa izin tertulis dari Penerbit.

**UNDANG-UNDANG NOMOR 19 TAHUN 2002 TENTANG HAK CIPTA**

1. Barangsiapa dengan sengaja dan tanpa hak mengumumkan atau memperbanyak suatu Ciptaan atau memberi izin untuk itu, dipidana dengan pidana penjara paling lama **7 (tujuh) tahun** dan/atau denda paling banyak **Rp. 5.000.000.000,00 (lima miliar rupiah)**
2. Barangsiapa dengan sengaja menyiarkan, memamerkan, mengedarkan, atau menjual kepada umum suatu Ciptaan atau barang hasil pelanggaran Hak Cipta atau Hak Terkait sebagaimana dimaksud diatas, dipidana dengan pidana penjara paling lama **5 (lima) tahun** dan/atau denda paling banyak **Rp 500.000.000,00 (lima ratus juta rupiah)**.

Fakultas Keperawatan Universitas Airlangga

The Proceeding of 7<sup>th</sup> International Nursing Conference:  
*Global Nursing Challenges in The Free Trade Era*

716 hlm, 21 x 29,7 cm

ISSN : 2407-0629

# CONTENTS

Greeting from Steering Committee .....	iv
Opening remarks from Dean of Faculty of Nursing, Universitas Airlangga .....	v
Opening remarks from Rector of Faculty of Nursing, Universitas Airlangga .....	vi
Committee .....	ix
Scientific Paper Reviewer .....	xii
Conference Schedule .....	xiii

**Keynote Speaker :** Junaidi Khotib, S.Si, M.Kes., PhD

<b>Plenary Sessions</b> .....	1
Speaker 1: SEKI Ikuko MPH, R.N, R.M.W, P.H.N .....	1
Speaker 2: Dr. Muhammad Hadi, SKM., M.Kep. ....	2
Speaker 3: Harif Fadilah, S.Kp, SH, MH.Kes. ....	
Speaker 4: Dr. Nur Mukarromah.,S.KM.,M.Kes. ....	7
Speaker 5: Kristen Graham, RN,RM,MNg,MPH&TM,MPed&Tr,GDipMid,GDipHSc .....	13
Speaker 6: Dr. M. Hasinuddin. S.Kep. , Ns., M.Kep. ....	14
Speaker 7: Dr. Tri Johan Agus Y., S.Kp., M.Kep. ....	20
Speaker 8: Dr. Hanik Endang N. S.Kep., Ns., M.Kep. ....	27
Speaker 9: Dr. Makhfudli, S.Kep., Ns., M.Ked.Trop. ....	32
Speaker 10: Madiha Mukhtar, RN, MScN, BScN, RM .....	37
Speaker 11: Ima Nadatien, SKM.,M.Kes. ....	38
Oral Presentation .....	42
Poster Presentation .....	507

# GREETING FROM STEERING COMMITTEE

*Assalamualaikum Warahmatullahi Wabarakatuh*

Honorable Rector of Universitas Airlangga  
Honorable Dean of Faculty of Nursing, Universitas Airlangga  
Honorable Head of Co-Host Institutions  
Distinguished Speakers and all Participants

Praise the presence of God Almighty, for his mercy so that Faculty of Nursing Universitas Airlangga can organized The 7<sup>th</sup> International Nursing Conference on the theme "The Global Nursing Challenges in The Free Trade Era". Welcome in Surabaya, City of Heroes Indonesia.

This international nursing conference is conducted in cooperation with 12 nursing schools throughout the nation. These institutions are the Faculty of Nursing and Midwifery Universitas Nahdlatul Ulama Surabaya, Faculty of Health Science Universitas Muhammadiyah Surabaya, STIKES Ngudia Husada Bangkalan, STIKES Pemerintah Kabupaten Jombang, STIKES Maharani Malang, Poltekkes Kementerian Kesehatan Malang, Poltekkes Kementerian Kesehatan Surabaya, Faculty of Health Science Universitas Islam Sultan Agung Semarang, Faculty of Health Science Universitas Pesantren Tinggi Darul Ulum Jombang, STIKES Insan Cendekia Husada Bojonegoro, STIKES Nurul Jadid Probolinggo, STIKES YARSI Mataram, and Faculty of Nursing Universitas Muhammadiyah Banjarmasin. Fortunately, this international nursing conference also supported by our partner institutions abroad: Flinders University\* (Australia), and Japan International Cooperation Agency (JICA); and also by professional and other organisations including: AINEC\* (The Association of Indonesian Nurse Education Center), Ibn-e-Seina Hospital & Research institute Multan (Pakistan) and INNA\* (Indonesian National Nurses Association).

Participants of this conference are lecturers, nurses, students both from clinical and educational setting, regional and overseas area.

Finally, I would like to thanks to all speakers, participants, co-host institutions and sponsors so that this conference can be held succesfully.

Please enjoy the international conference, i hope we all have a wonderful experience at the conference.

*Wassalamualaikum Warahmatullahi Wabarakatuh*

**Steering Committee**

# OPENING REMARK FROM THE DEAN OF FACULTY NURSING

*Assalamualaikum Warahmatullahi Wabarakatuh*

Honorable Rector of Universitas Airlangga  
Distinguished speakers and all Participants

First of all I would like to praise and thank God for the blessing and giving us the grace to be here in a good health and can hold this conference together. Secondly, it is a great privilege and honor for us to welcome every one and thank you very much for your participation and support for the 7<sup>th</sup> International Nursing “The Global Nursing Challenges in The Free Trade Era”.

Globalization opens opportunities for nurses to compete with other nurses and work abroad. Nurses should constantly improve their competency in providing excellent nursing care. The sustainability of education related to the latest science and nursing knowledge is very important for all nurses who are working in the clinic, community, and educational nursing system, to enhance their competencies

Research and education into clinical and community practice is very important to enhance nursing competencies with nurse colleagues in the international sphere. Indonesia face problems such low frequency of nursing conference, number of researches, also international publications. This problem can hinder quality improvement of nursing services.

Along with Universitas Airlangga vision to become a world class university and enter top World University Ranking, Faculty of Nursing, participates actively in reaching the vision. To achieve World Class University ranking, faculty needs to meet the standards of World's top Universities such as Academic reputation, employer reputation, publication, faculty standard ratio, international students and exchange–International Nursing Conference is one of the few strategies that have been implemented by the faculty to increase Publication standard.

In 2016, the Faculty of Nursing Universitas Airlangga started to collaborate with 12 nursing schools throughout the nation that have the same concern to overcome the situations. These institutions including Faculty of Nursing and Midwifery Universitas Nahdlatul Ulama Surabaya, Faculty of Health Science Universitas Muhammadiyah Surabaya, STIKES Ngudia Husada Bangkalan, STIKES Pemerintah Kabupaten Jombang, STIKES Maharani Malang, Poltekkes Kementerian Kesehatan Malang, Poltekkes Kementerian Kesehatan Surabaya, Faculty of Health Science Universitas Islam Sultan Agung Semarang, Faculty of Health Science Universitas Pesantren Tinggi Darul Ulum Jombang, STIKES Insan Cendekia Husada Bojonegoro, STIKES Nurul Jadid Probolinggo, STIKES YARSI Mataram, and Faculty of Nursing Universitas Muhammadiyah Banjarmasin. Under the concern of long commitment for better health outcome of Indonesia, the Faculty of Nursing Universitas Airlangga once more aims to elaborate with the aforementioned institutions and international universities through holding an international nursing conference. The international universities include: Flinders University\* (Australia), Japan International Cooperation Agency (JICA); and professional organisations including: AINEC\* (The Association of Indonesian Nurse Education Center), Ibn-e-Seina Hospital & Research Institute Multan (Pakistan) and INNA\* (Indonesian National Nurse Association).

Finally, I would like to thanks to all speakers, participants, and sponsorships that helped the success of this event. I hope that this conference have good contribution in increasing the quality of nursing and nursing care.

Please enjoy the international conference. I hope, we all have a wonderful time at the conference.

*Wassalamualaikum Warahmatullahi Wabarakatuh*

**Prof. Dr. Nursalam, M.Nurs (Hons)**  
Dean, Faculty of Nursing  
Universitas Airlangga

# OPENING SPEECH

## UNIVERSITAS AIRLANGGA RECTOR

*Assalamu'alaikum wa-rahmatullahi wa-barakatuh.*

May the peace, mercy and blessings of Allah be upon you.

*Alhamdulillah!* Praise be to Allah, the Almighty which gives us the opportunity to gather here in "THE 7<sup>TH</sup> INTERNATIONAL NURSING CONFERENCE". Let us also send *shalawat* and *salam* to our Prophet Muhammad SAW (Praise Be Upon Him): *Allaahumma shalli 'alaa Muhammad wa 'alaa aall Muhammad.* May Allah give mercy and blessings upon Him.

Ladies and Gentlemen,

"Everything changes and only the change itself remain unchanged," that is some words of wisdom reminding us to the absolute truth that there is no such thing in this world can hold back the tide of change.

Nursing Education, as a professional field, inevitably has to improve along with the changes. And if it is possible, it should always be vigilant to anticipate a period of change ahead.

In this regard, we are already in 'THE FREE TRADE AREA'. It is one of those changes and we have to deal with the problems of its implementation. Related to these problems, we expect universal Nursing Education to be able to provide attention to all aspects of public healthcare services, anywhere and in any social classes. Therefore, let us always make efforts to quality improvements, such as in the relationship between nurse and the patients, disease prevention, and patients' treatments.

Ladies and Gentlemen,

Higher education on Nursing has its strategic roles to achieve excellent public healthcare services. Therefore, its education format must be flexible, able to adapt and anticipate any influences such as from boundless improvements of technology, economy, politics, culture and other aspects of development. At this point, joint-researches or joint-programs, seminars, scientific publications, or any other collaborations should be conducted more frequently by all nursing higher education institutions. These advance steps are necessary to achieve "Healthy Global Communities" sooner.

As a result, let us exploit these changes around us to create a condition where the quality of public healthcare service is so high that it brings happiness to all. Thus, competence's improvement of all nursing students is indispensable. This improvement, of course, should be synchronized with the changes in all aspects. Let us optimally develop this nursing science by maintaining connections and cooperation with other institutions and finding opportunities for future collaborations with others.

Ladies and Gentlemen,

The organization of this international nursing conference must be appreciated. Firstly, because it is the seventh time of the conference organization. Secondly, the theme of this conference, "THE GLOBAL NURSES CHALLENGES IN THE FREE TRADE ERA", has a strong sense of urgency and very appropriate at this moment.

Therefore, I would like to express my deepest gratitude to the organizing committee, the nursing education institutions- domestic or international-, all the keynote speakers and other parties which support this splendid conference.

We extend a warm welcome to all delegates and those who have travelled from foreign parts. We hope that your attendance will be rewarded academically, that you will make new friends and that you will be fulfilled through the conference activities and the artistic delights of Surabaya.

Ladies and Gentlemen,

Merely to expect Allah gracious blessings, I hereby officially open this "SEVENTH INTERNATIONAL NURSING CONFERENCE" by saying grace: "*Bismillahirrahmanirrahim*". May the objectives of this organization fulfilled and the conference be a success. Therefore let us again say: *Alhamdulillah!* Praise be to Allah.

*Wassalamu'alaikum wa-rahmatullahi wa-barakatuh.*  
Universitas Airlangga Rector,

Prof. Dr. Moh. Nasih, SE., MT., Ak., CMA.  
NIP. 196508061992031002



# COMMITTEE

- Patron** : Rector of Universitas Airlangga
- Advisor** : Prof. Dr. Nursalam, M.Nurs (Hons)  
Dean Faculty of Nursing, Universitas Airlangga  
Dean Faculty of Nursing and Midwifery Universitas Nahdlatul Ulama Surabaya  
Dean Faculty of Health Science Universitas Muhammadiyah Surabaya  
Head of STIKES Ngudia Husada Bangkalan  
Head of STIKES Pemerintah Kabupaten Jombang  
Head of STIKES Maharani Malang  
Head of Nursing Programme Poltekkes Kementerian Kesehatan Malang  
Head of Nursing Programme Poltekkes Kementerian Kesehatan Surabaya  
Dean Faculty of Health Science Universitas Islam Sultan Agung Semarang  
Dean Faculty of Health Science Universitas Pesantren Tinggi Darul Ulum Jombang  
Head of STIKES Nurul Jadid Probolinggo  
Head of STIKES Insan Cendekia Husada Bojonegoro  
Dean Faculty of Nursing Universitas Muhammadiyah Banjarmasin  
STIKES YARSI Mataram
- Steering Committee** : Dr. Kusnanto, S.Kp., M.Kes.  
Vice Dean 1 of Faculty of Nursing Universitas Airlangga  
Eka Mishbahatul Mar'ah Has., S.Kep., Ns., M.Kep.  
Vice Dean 2 of Faculty of Nursing, Universitas Airlangga
- Steering Chairman** : Dr. Ah. Yusuf, S.Kp., M.Kes.  
Vice Dean 3 of Faculty Nursing, Universitas Airlangga
- Organizing Committee**
- Chair** : Laily Hidayati, S.Kep., Ns., M.Kep.
- Secretaries** : Rista Fauziningtyas, S.Kep. Ns, M.Kep.  
Lailatun Ni'mah, S.Kep. Ns, M.Kep.
- Treasury** : Erna Dwi W., S.Kep., Ns., M.Kep.  
Ninik Setyaningrum D, S.H

- Event division board : Retnayu Pradanie, S.Kep., Ns.M.Kep.  
Tiyas Kusumaningrum,  
S.Kep.,Ns.M.Kep.  
Ika Nur Pratiwi, S.Kep., Ns.M.Kep.  
Iqlima Dwi Kurnia, S.Kep., Ns.M.Kep.  
Fauziyatun Nisa', S.S.T., M.Kes.  
Ana Farida Ulfa, S.Kep., Ns., M.Kep.  
Sestu Retno D.A,S.Kp,M.Kes  
Rahmawati Maulidia., M.Kep  
Wahyu Endang S. S.KM, M.Kep.  
Dede Nasrullah, S.Kep., Ns.M.Kep.  
Nisfil Mufidah, S.Kep., Ns.M.Kep.  
Ferawati, S.Kep., Ns  
Ns. Dwi Adji Norontoko, M.Kep.
- Scientific board : Dr. Joni Haryanto, S.Kp.,MSI  
Dr. Tintin Sukartini, S.Kp, M.Kes  
EstyYunitasari, S.Kp, M.Kes  
Harmayetty, S.Kp, M.Kes  
Yulis Setiya Dewi, S.Kep., Ns.,Mng  
Erna Dwi Wahyuni, S.Kep., Ns.M.Kep.  
Elida Ulfiana, S.Kep., Ns.M.Kep.  
Praba Diyan Rahmawati, S.Kep.,  
Ns.M.Kep.  
Ilya Krisnana, S.kep. Ns, M.kep.  
Khamida, S.Kep.Ns.,M.Kep.  
Dr. Ririn Probowati,S.Kp,M.Kes  
Lilla Maria., M.Kep  
Diah Ayu Fatmawati, S.Kep., Ns.,  
M.Kep.  
Ns Suyanto, M.Kep.  
Yuanita Wulandari, S.Kep.,Ns.MS.  
Mulia Mayangsari, S.Kep., Ns.M.Kep.  
Sp.Kep.MB.  
Sri Astutik Andayani, S.Kep.Ns,  
M.Kes.  
M. Roni Al faqih, S.Kep., Ns  
Ns. Endah Suprihatin, M.Kep., Sp. Mat.  
Dr. Luluk Widarti, M.Kes.  
Hasyim As'ari, S.Kep. Ns., M.Ked.
- Publications, partnership, & Sponsorship : Setho Hadisuyatmana, S.Kep., Ns.,  
M.NS (CommHlth&PC)  
Dimas Dwi Arbi, S.Kom.  
Sylvia Dwi W., S.Kep., Ns.M.Kep.  
Nur Hidayah, S.Kep.Ns.,M.Kes.  
Anis Satus Syarifah, S.Kep,Ns,M.Kes  
Feriana Ira Handian., M.Kep  
Edi Wibowo S., S.Kep,Ns,M.Kes  
Septian Galuh Winata, S.Kep., Ns.  
Mufarika, M.Kep.  
Ns. Handono Fathur R.  
M.Kep.Sp.Kep.MB.

Maslicah, S.Kep., Ns.

Accommodation board : Kristiawati, S.Kp,M.Kep., Sp. Kep. An.  
Candra Panji A., S.Kep., Ns., M.Kep.  
Nur Rohmawati

Logistics : Dr. Hanik Endang N, S.Kep., Ns.M.kep  
Suyatik

Equipment division : M. Anwari  
Suharto  
Sukardjianto  
Arifin  
Sodikin

## SCIENTIFIC PAPER REVIEWER

Prof. Dr. Nursalam, M.Nurs (Hons)  
Ellen Roskam, PhD, MPH.

Dr. Ah. Yusuf, S.Kp.,M.Kes.  
Dr. M. Hasinuddin, S.Kep., Ns., M.Kep.

Dr. Joni Haryanto, S.Kp.,MSi.  
Dr. Ririn Probowati,S.Kp,M.Kes.

Dr. Kusnanto, S.Kp.,M.Kes.  
Dr. Tintin Sukartini, S.Kp, M.Kes.

Universitas Airlangga, Surabaya, Indonesia  
University Research Council & Center for  
Human Services, United States

Universitas Airlangga, Surabaya, Indonesia  
STIKES Ngudia Husada, Bangkalan,  
Indonesia

Universitas Airlangga, Surabaya, Indonesia  
STIKES Pemerintah Kabupaten Jombang,  
Indonesia

Universitas Airlangga, Surabaya, Indonesia

Universitas Airlangga, Surabaya, Indonesia

# Factors affecting the incidence of pulmonary tuberculosis in children in East Perak Public health centers Surabaya.

Diyah Arini<sup>1</sup>, Ari Susanti<sup>2</sup>, Laela Nur Hidayah<sup>3</sup>

Stikes Hang Tuah Surabaya, diyaharini76@yahoo.co.id

## ABSTRACT

Pulmonary TB is a bacterial infection that caused by *Mycobacterium tuberculosis*. Factors that affect TB to the children are the child age, gender, contact history, nutrition stats, and economical status. The purpose of this research is to discoveres the most dominant factor on the the Pulmonary TB phenomenon.

The research design is analutic observation, with the *Cross Sectional* approach. The population that is used in this research is children that are diagnosed suspect and the pulmonary TB. The Samples are 57 childrens who experiencing pulmonary TB symptoms, that are chose by *Simple Random Sampling*. Data collection instrument in this research uses questioner sheets. The data analysis uses factors analysis and presented in table.

The result from *chi square* test shows that there is significance relation between contact history with pulmonary TB phenomenon ( $\rho=0,034$ ), and economical status ( $\rho=0,017$ ). While there is no relation between children age factors with pulmonary TB ( $\rho=0,336$ ), gender ( $\rho=0,122$ ) and nutrition stats ( $\rho=0,718$ ). From the result of the reesearch, it is found that the most dominant factors beased on *Binary Logistic Regression* test is economical status shown by index  $\rho=0,013$  ( $\rho < 0,05$ )

The decrease of pulmonary TB incident to the children can be achieve if the knowledge of family about TB are enough to do the prevention of the TB symptoms, So it is suggested that Health Department increases the information spread by health counseling about the pulmonary TB.

**Keywords:** *Pulmonary TB, Children, Factors*

## Introduction

Pulmonary tuberculosis is an infectious caused by *Mycobacterium tuberculosis* (Ngastiyah, 2005). Pulmonary tuberculosis in infants and children is also called primary tuberculosis and is a systemic disease. Primary tuberculosis usually begin slowly so difficult to determine when the first symptoms occurs. Sometimes the symptoms was fever and is often accompanied by signs of an upper respiratory tract infection (Ngastiyah, 2005).

Number of patients with pulmonary tuberculosis in children in East Java has reached 2,342 patients and as many as 1,308 of them already died (Dinkes 2013). Number of patients with pulmonary tuberculosis in Surabaya reached 4,336 patients (Dinkes 2014). In 2014, the number of children who have been examined for pulmonary tuberculosis in East Perak Public Health Center as many as 67 children. 12 children (17%) of them BTA (+) status, while 55 children (83%) with suspected pulmonary tuberculosis status. Based on the preliminary study on February 4, 2015 against five parents who visit the East Perak Public Health Center in Surabaya to undergo pulmonary tuberculosis treatment to children aged less than 5 years, got three parents who earn less than Rp 2.2 million (distric minimum wage in 2014), namely by Rp.1.500.000, Rp 2,000,000 and Rp 1,750,000. 2 parents remaining income in accordance with the distric minimum wage.

The main factor a person can become infected after inhaling air containing droplets containing *M. tuberculosis* bacteria are transmitted by smear pulmonary tuberculosis patients positif. Droplet containing TB bacilli resulting from coughing can float in the air up to approximately two hours depending on the quality of ventilation, if droplets inhaled by healthy people, the

droplet will be stranded on the walls of the respiratory system. When an infected person coughs or sneezes, germs and smear positive pulmonary TB were shaped very small droplet will fly in the air. If the droplet is superbly inhaled and lodged in the lungs of children, then the bacteria will divide or multiply. Kids are very vulnerable age group infected with pulmonary TB disease, it is partly because their immune systems are still developing and not yet perfect. In addition, close contact and prolonged with adult pulmonary TB patients who live at home, also facilitates the spread of pulmonary tuberculosis. This is understandable, because the son who has been infected with *M. tuberculosis* easily develop into pulmonary TB disease if they are poor nutritional status. Currently, amid pressure economic conditions with high inflation rates and rising prices of basic necessities, predicted a growing number of poor families. This condition will certainly improve the development of children with severe malnutrition (Rev. 2008). Source of TB infection in children is most important is exposure to infectious yng adult, especially with smear positive. Hiswani (2009) says that exposure of pulmonary TB disease in a person affected by several factors such as socioeconomic status and nutritional status.

Key to the success of TB control in children is the right treatment. One way to reduce the rate of transmission is by distancing individuals infected with TB susceptible populations, while increasing the healing rate necessary maximal treatment. Socio-economic improvements, and improving the quality of life can reduce the number of tuberculosis patients in children. Expected active efforts examination, especially in high-risk groups and malnutrition status to reduce the risk of contracting tuberculosis. In addition to providing immunizations to prevent TB disease, parents should also pay attention to good nutrition for children. Giving a good balanced nutrition coupled with BCG

immunization is expected to be a weapon powerful enough to ward off attack TB bacteria (Mufidah, 2012). The incidence number of tuberculosis in children can be decrease by giving sufficient knowledge about TB family for TB preventive action so that the health department suggested that further improve the provision of information through health education about pulmonary tuberculosis.

Factors that influence the occurrence of pulmonary TB are as follows: According Nugrahaeni (2011), these factors can be grouped into three main factors, namely host factors (host), the agent (agent) and the environment (environment).

1. Host :Age, Sex, Contact history, Nutritional status, Economic status
2. Agent :Mycobacterium tuberculosis
3. Environmental factors :exposure. Air temperature and humidity

Based on the explanation above, the researchers tried to further examine the factors that influence the incidence of pulmonary tuberculosis in children in the health center East Perak Surabaya.

## Methods

This research using analytical methods Observational study design which were observed to identify whether the independent variables which include age, gender, economic status, contact history, and the nutritional status that affects the dependent variable (incidence of children with pulmonary TB). This study was done by cross-sectional by measuring the observed data or independent variables (age, sex, nutritional status, contact history, and economic status) and dependent (TB incidence) only one at a time. Populations in this study were children with suspected pulmonary tuberculosis and pulmonary tuberculosis in the health center East Perak Surabaya in 2014 as many as 67 children. The sampling technique used in this study is simple random sampling. The sample in this research were 57 children with criteria

that has complete data in medical record in East Perak Surabaya health center. The research was conducted on May 13, 2015 in East Perak Surabaya Health Center.

## Result

### 1. Age

Table 1. Cross Tabulation Between Age and incidence of pulmonary TB in East Perak Health Center Surabaya period May 13-June 3, 2015

Age	Pulmonary TB					
	TB +		TB Suspect		Total	
	F	(%)	F	(%)	F	(%)
< 5th	4	15,4%	22	84,6%	26	100%
>5th	8	25,8%	23	74,2%	31	100%
<b>Total</b>	12	21,1%	45	78,9%	57	100%

Chi Square test ( $p = 0,336$   $p \text{ value} > 0,05$ )

Table 1 show that in children aged > 5 years there were 23 children (74.2%) had suspected, 8 children (25.8%) had pulmonary tuberculosis. Chi-square test results show the value of  $p = 0.336$  ( $p \text{ value} > 0.05$ ) was no statistically significant correlation between age children with pulmonary tuberculosis incidence.

Possible toddler to be infected and cause illness are very high. Before puberty primary infection found in the lungs. According Rahajoe (2012)  $\leq 5$  year-old son had a greater risk of having the infection into tuberculosis because of its cellular immunity has not fully developed (immature).

### 2. Sex

Table 2. Cross tabulation Between Sex and Pulmonary TB incidence in East Perak Health Center Surabaya period May 13-June 3, 2015

Sex	Pulmonary TB		
	TB +	TB Suspect	Total

	F	(%)	F	(%)	F	(%)
Boys	6	15,4%	33	84,6%	39	100%
Girls	6	33,3%	12	74,2%	18	100%
<b>Sum</b>	12	21,1%	45	78,9%	57	100%

Chi Square test ( $p = 0,122$   $p\text{ value} > 0,05$ )

Table 2 show that there were 33 boys (84.6%) had suspected, 6 boys (15.4%) had pulmonary tuberculosis. While the girls found there were 12 girls (66.7%) had suspected, 6 girls (33.3%) had pulmonary tuberculosis. Chi-square test results show the value of  $p = 0.122$  ( $p\text{ value} > 0.05$ ) so it's mean there were no statistically significant correlation between sex with pulmonary tuberculosis incidence.

The development of pulmonary tuberculosis infection becoming tuberculosis pulmonary disease in women more quickly than men. (WHO, 2010). It still requires further investigation and research, both at the behavioral, psychological level, the immune system, as well as the molecular level. For the time being, allegedly female gender is a risk factor are still require evidence in each region, as the basis for the control or management basis. (Wadjah, 2012)

### 3. History Contact

Table 3. Cross tabulation Between Children's History Contact and Incidence of pulmonary TB in East Perak health center Surabaya period May 13 - June 3, 2015

History Contact	Pulmonary TB					
	TB +		TB Suspect		Total	
	F	(%)	F	(%)	F	(%)
Yes	1	27,3%	32	72,7%	44	100%
No	0	0%	13	100%	13	100%
<b>Sum</b>	1	21,1%	45	78,9%	57	100%

Chi Square test ( $p = 0,034$   $p\text{ value} < 0,05$ )

Table 3 show that children who have a history of contact as many as 44 children, out of the 44 children found there were 32 children (72.7%) had suspected, 12 children (27.3%) had pulmonary tuberculosis. Chi-square test results show the value of  $p = 0.034$  ( $p\text{ value} < 0.05$ ) there was statistically significant correlation between a history of contact with pulmonary TB incidence.

The main source of TB infection in children is exposure to adults who infectious, especially with positive BTA, extensive infiltrates, lots and diluted sputum production, productive cough and strong, and the environmental factors particularly unhealthy air circulation is not good. Data from adult pulmonary TB patients in 2014 in the health center East Perak counted 74 adult pulmonary TB patients who have been diagnosed with BTA (+). So, pulmonary TB in children are closely related from pulmonary tuberculosis disease in adults.

### 4. Nutritional Status

Table 4 Cross Tabulation Between Nutritional Status and Pulmonary TB incidence in East Perak health center Surabaya period May 13 - June 3, 2015

Nutritional Status	Pulmonary TB					
	TB +		TB Suspect		Total	
	F	(%)	F	(%)	F	(%)
Severely malnutrition	1	25%	3	75%	4	100%
malnutrition	2	12,5%	14	87,5%	16	100%
normal	9	25%	27	75%	36	100%
Obesit	0	0%	1	100%	1	100%



y						
<b>Su</b>	1	21,	45	78,	57	100
<b>m</b>	2	1%		9%		%
Chi Square test ( $\rho = 0,718$ p value > 0,05)						

Table 4 show that children whom in malnutrition condition found that 14 of them (87.5%) had suspected while two children (12.5%) had pulmonary tuberculosis. In children who have poor nutritional status 3 of them (75%) had suspected, and one child (25%) had pulmonary tuberculosis. The results show the value of chi-square  $p = 0.718$  ( $p$  value > 0.05), there was no statistically significant correlation between nutritional status and the incidence of pulmonary tuberculosis.

Children who malnutrition decline their cellular immune response so it is very easy to get an infection mycobacteria, viruses and fungi, it is certain that the immune response in humans is strongly influenced by the severity of the nutritional condition and age. (Subowo, 2013). Researchers assumed that the nutritional status of children is very important, because a good nutritional status will improve the endurance and the immune system, so they are not likely to develop TB disease. But if a child with a good nutritional status are also infected, they tend to suffer mild TB compared with malnutrition.

### 5. Economic Status

Table 5. Cross Tabulation Between Economic Status and Incidence of pulmonary TB in East Perak health center Surabaya Period May 13 to June 3 201

Salary	Pulmonary TB					
	TB +		TB Suspect		Total	
	F	(%)	F	(%)	F	(%)
< Wage Minimum	1	33,	20	66,	30	100
	0	3%		7%		%

$\geq$ Wage Minimum	2	7,4	25	92,	27	100
		%		6%		%
<b>Su</b>	1	21,	45	78,	57	100
<b>m</b>	2	1%		9%		%
Chi Square test ( $\rho = 0,017$ p value < 0,05)						

Table 5 show that parents with economic status less than the minimum wage by 20 children (66.7%) had suspected, 10 children (33.3%) had pulmonary tuberculosis. While the economic status of children over UMK many as 25 children (92.6%) had suspected, two children (7.4%) had pulmonary tuberculosis. Chi-square test results show the value of  $p = 0.017$  ( $p$  value < 0.005) there was statistically significant correlation between economic status with the incidence of pulmonary tuberculosis.

Researchers assumed that the low economic level indicates a low level of education, employment and income that can affect one's health. With a lack of education, the knowledge of the disease, especially of pulmonary TB disease is also less.

### 6. Binary Logistic Regression

Table 6. Binary Logistic Regression Results

No.	Variables	P value	Exp ( $\beta$ )	95% C.I for EXP ( $\beta$ )	
				Batas bawa h	Batas atas
Step 1	Age (1)	0.78	0.78	0.13	4.63
	Sex (1)	8	4	3	6
	Contact History(1)	0.19	0.33	0.06	1.76
		6	3	3	3
Step 2	Nutrition Status (1)	0.99	1.28	0.00	0
		8	8E9	0	0
		0.26	8.37	0.20	346.082
		3	8	3	082
Step 2	Nutritional Status (2)	0.89	1.26	0.04	38.5
		2	7	2	22

Step 3	Nutritional Status(3)	1.000	1.5676E8	0.000	
	Economic status	0.010	12.024	1.815	79.646
	Age (1)	0.332	0.46	0.09	2.2
	Sex (1)	0.170	0	6	07
	Nutritional Status(1)	0.333	0.355	0.081	1.558
	Nutritional Status(2)	0.828	1.345	0.093	19.529
	Nutritional Status(3)	1.000	8.652E7	0.000	
	Economic status(1)	0.027	7.085	1.253	40.070
	Age (1)	0.227	0.442	0.101	1.927
	Sex (1)	0.199	0.392	0.094	1.634
Step 4	Economic status(1)	0.040	5.727	1.084	30.252
	Sex (1)	0.266	0.457	0.115	1.816
Step 5	Economic status(1)	0.041	5.580	1.075	28.969
	Economic status(1)	0.027	6.250	1.227	31.838
Step 6	Contact History (1)	0.998	7.972E8	0.000	
	Economic status(1)	0.013	8.333	1.556	44.642

Table 6 show that by using binary logistic regression analysis showed economic status is the most affecting factors the incidence pulmonary tuberculosis. It's found that  $p = 0.013$  with OR 8.333 this suggests that the economic status <Rp 2.200.000 8.333 times higher

risk than economic status >Rp 2,200,000 pulmonary tuberculosis exposure.

According to WHO (2003) in Rahajoe (2012) states that 90% of pulmonary TB patients throughout the country attacked the lower socioeconomic groups. Low socioeconomic condition will cause high-density living quarters. Condition of the house comprising, occupant density, quality of ventilation and bad lighting can facilitate the transmission of pulmonary TB than any other factor. Droplets containing TB bacilli resulting from coughing can suspended in the air up to about two hours, if the droplets inhaled by healthy people, the droplet will be stranded on the walls of the respiratory system (Darmanto, 2009).

### Conclusion

1. Age, sex, and nutritional status didn't influence the incidence of pulmonary tuberculosis in children in East Perak health centers Surabaya.
2. Economic status and contact history influence the incidence of pulmonary tuberculosis in children in East Perak health centers Surabaya.
3. economic status was the most influential factors on the incidence of pulmonary tuberculosis in children in East Perak health center Surabaya.

### Recommendations

1. Sociatyis expected to participate in health education conducted by the health service so they have better knowledge in order to know how to prevent vulnerability of several disease especially pulmonary tuberculosis.
2. Beside providing health education and support, public health service are also expected to conduct strict supervision of medication adherence pulmonary tuberculosis patients.

### References

- Ali, Arsad Rahim. (2008). *Penilaian Status Gizi Anak*. <https://arali2008.files.wordpress.com/2008/08/penilaian-status-gizi-anak.doc>, diunduh pada

- tanggal 24 Februari 2015 jam 08.15 WIB.
- Danusantoso, Halim. (2012). *Buku Saku Ilmu Penyakit Paru Edisi 2*. Jakarta : EGC
- Djojodibroto, Darmanto. (2012). *Respirologi (Respiratory Medicine)*. Jakarta : EGC
- Francis, Caia. (2011). *Perawatan Respirasi*. Jakarta : Erlangga
- Fredlina, K. Queena dkk. (2012). *Model Sir (Susceptible, Infectious, Recovered) Untuk Penyebaran Penyakit Tuberkulosis*. <http://downloadportalgaruda.org/article.php?article=14853&val=980>, diunduh pada tanggal 20 Februari 2015 jam 15.30 WIB.
- Girsang. (2011). *Faktor penyebab kejadian Tuberculosis serta hubungannya dengan Lingkungan Tempat Tinggal di Provinsi Jawa Tengah*. Buletin Penelitian Kesehatan. Vol 39 No. 1 Hal. 34-41.
- Hidayat, Aziz Alimul (2011). *Pengantar Ilmu Kesehatan Anak Untuk Pendidikan Kebidanan*. Jakarta : Salemba Medika
- Hidayat, Aziz Alimul (2012). *Pengantar Ilmu Keperawatan Anak 1*. Jakarta : Salemba Medika
- Hiswani. (2009). *Tuberkulosis Merupakan Penyakit Infeksi Yang Masih Menjadi Masalah Kesehatan Masyarakat*. <http://repository.usu.ac.id/bitstream/handle/123456789/3718/fkm-hiswani6.pdf;jsessionid=FAE5362BA896A2D5ED5B0AE3D84207E8?sequence=1>, diunduh pada tanggal 22 Februari 2015 pada jam 14.00 WIB.
- Laksono, Agung Dwi dkk. (2012). *Kajian Standar Pelayanan Minimal Penyakit Tuberculosis Terkait Indikator Millennium Development Goals*. <http://ejournal.litbang.depkes.go.id/index.php/hsr/article/view/3000>, diunduh pada tanggal 26 Maret 2015 pada jam 07.00 WIB.
- Maya. (2012). *Pengantar Ilmu kesehatan Anak*. Jogjakarta : D-Medika
- Mufidah, Fachtul. (2012). *Cermati Penyakit-Penyakit Yang Rentan Diderita Anak Usia Sekolah*. Jogjakarta : FlashBooks
- Muttaqien, Arif. (2012). *Buku Ajar Asuhan Keperawatan Klien Dengan Gangguan Sistem Pernafasan*. Jakarta : Salemba Medika
- Naga, Sholeh. (2012). *Buku Panduan Lengkap Ilmu Penyakit Dalam*. Jogjakarta : DIVA press.
- Ngastiyah. (2005). *Perawatan Anak Sakit*. Jakarta : EGC.
- Notoatmodjo, Soekidjo. (2012). *Metodologi Penelitian Kesehatan*. Jakarta : Rineka Cipta.
- Nugrahaeni, Dyan Kunthi. (2011). *Konsep Dasar Epidemiologi*. Jakarta : EGC
- Nursalam. (2011). *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan*. Jakarta: Salemba Medika
- Paramita (2011). *Memahami Berbagai Macam Penyakit*. Jakarta : Indeks
- Pelita, Indonesia. (2012). *Stop Tuberculosis*. [http://pelitaindonesia.org/wp-content/uploads/2012/08/Proyek\\_St](http://pelitaindonesia.org/wp-content/uploads/2012/08/Proyek_St)

op\_TB.pdf, diunduh pada tanggal 4 April 2015 pada jam 08.00 WIB.

- Rahajoe, Nastiti dkk. (2012). *Buku Ajar Respirologi Anak Edisi Pertama Cetakan Ketiga*. Jakarta : Badan penerbit IDAI
- Ranuh, IG.N GDE. (2014). *Beberapa Catatan Kesehatan Anak*. Jakarta : Sagung Seto
- Rianti, Emy dkk. (2010). *Buku Ajar Epidemiologi Dalam Kebidanan*. Jakarta Timur : Trans Info Media
- Ringel, Edward. (2012). *Buku Saku Hitam Kedokteran Paru*. Jakarta : Indeks
- Subowo. (2013). *Imunologi Klinik Edisi 2*. Jakarta : Sagung Seto
- Sudoyo, Aru W dkk. (2006). *Buku Ajar Ilmu Penyakit Dalam*. Jakarta pusat : Departemen ilmu penyakit dalam.
- Wahyu, Ginanjar. (2008). *Panduan Praktis Mencegah Dan Menangkal TBC Pada Anak*. Jakarta : Dian Rakyat
- Widoyono. (2011). *Penyakit Tropis : Epidemiologi, Penularan, Pencegahan Dan Pemberantasannya Edisi Kedua*



Faculty of Nursing  
Universitas Airlangga



Flinders  
UNIVERSITY



# Certificate

This is to certify that :

**ARI SUSANTI, S.KM., M.Kes.**

has attended

**as ORAL PRESENTER**

## The 7<sup>th</sup> International Nursing Conference

“Global Nursing Challenges in The Free Trade Era”

Garuda Mukti Universitas Airlangga, Surabaya – April 8<sup>th</sup> – 9<sup>th</sup> 2016

Acreditedated based on degree of Indonesia National Nurse Association

No : 389/DPP.PPNI/SK/K.S/IV/2016

No : 390/DPP.PPNI/SK/K.S/IV/2016

Speaker : 5 SKP

1st Author : 2 SKP

Comitte/Moderator : 3 SKP

2nd Author : 1 SKP

Participant : 2 SKP



Prof. Dr. Nursalam, M.Nurs, (Hons)  
Dean  
Faculty of Nursing  
Universitas Airlangga Indonesia



Laily Hidayati, S.Kep., Ns., M.Kep.  
Chairperson  
Organizing Committee

CO-HOST:

